Information Processing Letters 47 (1993) 333–334
Elsevier

18 October 1993

Author Index Volume 47 (1993)

(The issue number is given in front of the page numbers.)

Ahn, J.-W., *see* **Kim, M.-S.** (5) 221–229
Alonso, L., E.M. Reingold and **R. Schott**, Determining the majority (5) 253–255
Arkin, E.M., M.M. Halldórsson and **R. Hassin**, Approximating the tree and tour covers of a graph (6) 275–282

Bagchi, A., *see* **Bhattacharya, S.** (4) 209–214
Barbosa, V.C., *see* **de Almeida Jr, N.F.** (5) 257–259
Bax, E.T., Inclusion and exclusion algorithm for the Hamiltonian Path Problem (4) 203–207
Bhattacharya, S. and **A. Bagchi**, A faster alternative to SSS * with extension to variable memory (4) 209–214
Breslauer, D., L. Colussi and **L. Toniolo**, Tight comparison bounds for the string prefix-matching problem (1) 51– 57
Bright, J.D., Range-restricted mergeable priority queues (3) 159–164

Chang, B.-M., K.-M. Choe and **T. Han**, Efficient bottom-up execution of logic programs using abstract interpretation (3) 149–157
Chang, B.-M., K.-M. Choe and **T. Han**, Static filtering on stratified programs (5) 237–244
Chee, Y.M., *see* **Lim, A.** (4) 167–172
Chen, D.Z. and **S. Guha**, Testing a simple polygon for monotonicity optimally in parallel (6) 325–331
Chen, W.-H. and **C.Y. Tang**, A $2 \cdot |E|$-bit distributed algorithm for the directed Euler trail problem (1) 43– 49
Cheng, S.-W., *see* **Lim, A.** (4) 167–172
Choe, K.-M., *see* **Chang, B.-M.** (3) 149–157
Choe, K.-M., *see* **Chang, B.-M.** (5) 237–244
Choe, K.-M., *see* **Park, W.-J.** (5) 245–251
Choe, K.-M., *see* **Shin, H.-C.** (3) 123–129
Choe, K.-M., *see* **Yun, I.-S.** (4) 189–196
Colussi, L., *see* **Breslauer, D.** (1) 51– 57
Crescenzi, P. and **R. Silvestri**, A note on the descriptive complexity of maximization problems (1) 11– 15

Dassow, J., G. Păun and **A. Salomaa**, On the union of 0L languages (2) 59– 63
de Almeida Jr, N.F. and **V.C. Barbosa**, A string-matching algorithm for the CREW PRAM (5) 257–259
Durand, I. and **B. Salinier**, Constructor equivalent term rewriting systems (3) 131–137

Eades, P., X. Lin and **W.F. Smyth**, A fast and effective heuristic for the feedback arc set problem (6) 319–323

Frederickson, G.N., S.E. Hambrusch and **H.-Y. Tu**, Shortest path computations in source-deplanarized graphs (2) 71– 75

Gopalakrishnan, K., D.G. Hoffman and **D.R. Stinson**, A note on a conjecture concerning symmetric resilient functions (3) 139–143
Guha, S., *see* **Chen, D.Z.** (6) 325–331
Gumm, H.P., Another glance at the Alpern–Schneider characterization of safety and liveness in concurrent executions (6) 291–294
Gurla, H., Leftmost one computation on meshes with row broadcasting (5) 261–266

Halldórsson, M.M., *see* **Arkin, E.M.** (6) 275–282
Hambrusch, S.E., *see* **Frederickson, G.N.** (2) 71– 75
Han, T., *see* **Chang, B.-M.** (3) 149–157
Han, T., *see* **Chang, B.-M.** (5) 237–244
Han, T., *see* **Yun, I.-S.** (4) 189–196
Hancart, C., On Simon's string searching algorithm (2) 95– 99
Hassin, R., *see* **Arkin, E.M.** (6) 275–282
Håstad, J., S. Phillips and **S. Safra**, A well-characterized approximation problem (6) 301–305
Henschen, L.J., *see* **Lee, S.H.** (2) 101–108
Hershberger, J., A faster algorithm for the two-center decision problem (1) 23– 29
Hirschberg, D.S. and **S.S. Seiden**, A bounded-space tree traversal algorithm (4) 215–219
Hoffman, D.G., *see* **Gopalakrishnan, K.** (3) 139–143
Hühne, M., Linear speed-up does not hold on Turing machines with tree storages (6) 313–318

Jain, S. and **A. Sharma**, On the non-existence of maximal inference degrees for language identification (2) 81– 88

Katz, M.J. and **M. Sharir**, Optimal slope selection via expanders (3) 115–122
Kim, H.J., *see* **Park, H.** (2) 109–113

Kim, M.-S., J.-W. Ahn and **S.-B. Lim**, An algebraic algorithm to compute the exact general sweep boundary of a 2D curved object (5) 221–229
Kok, J.N., *see* **Udink, R.T.** (6) 307–311
Krizanc, D., Integer sorting on a mesh-connected array of processors (6) 283–289

Lau, F.C.M., *see* **Xu, C.-Z.** (4) 181–187
Lee, M.-J., *see* **Park, W.-J.** (5) 245–251
Lee, S.H. and **L.J. Henschen**, Semantics and properties of existential quantifiers in deductive databases (2) 101–108
Lim, A., Y.M. Chee and **S.-W. Cheng**, Single jog minimum area joining of compacted cells (4) 167–172
Lim, S.-B., *see* **Kim, M.-S.** (5) 221–229
Lin, X., *see* **Eades, P.** (6) 319–323
Lin, Y.-B., Parallel trace-driven simulation of packet-switched multiplexer under priority scheduling policy (4) 197–201
Luby, M., A. Sinclair and **D. Zuckerman**, Optimal speedup of Las Vegas algorithms (4) 173–180
Luchetti, C. and **M.C. Pinotti**, Some comments on building heaps in parallel (3) 145–148
Luo, C., *see* **Rao, N.S.V.** (5) 231–236

Meskes, M. and **J. Noack**, The generalized supplementary magic-sets transformation for stratified Datalog (1) 31– 41

Nieuwenhuis, R., Simple LPO constraint solving methods (2) 65– 69
Noack, J., *see* **Meskes, M.** (1) 31– 41

Owolabi, O., Efficient pattern searching over large dictionaries (1) 17– 21

Park, H., H.J. Kim and **V.K. Prasanna**, An O(1) time optimal algorithm for multiplying matrices on reconfigurable mesh (2) 109–113
Park, W.-J., M.-J. Lee and **K.-M. Choe**, On the reduction of LR(k) parsers (5) 245–251
Păun, G., *see* **Dassow, J.** (2) 59– 63
Phillips, S., *see* **Håstad, J.** (6) 301–305
Pinotti, M.C., *see* **Luchetti, C.** (3) 145–148
Prasanna, V.K., *see* **Park, H.** (2) 109–113

Rao, N.S.V. and **C. Luo**, On similarity of polynomial configurations (5) 231–236
Reingold, E.M., *see* **Alonso, L.** (5) 253–255

Safra, S., *see* **Håstad, J.** (6) 301–305
Salinier, B., *see* **Durand, I.** (3) 131–137
Salomaa, A., *see* **Dassow, J.** (2) 59– 63
Schott, R., *see* **Alonso, L.** (5) 253–255
Seiden, S.S., *see* **Hirschberg, D.S.** (4) 215–219
Sharir, M., *see* **Katz, M.J.** (3) 115–122
Sharma, A., *see* **Jain, S.** (2) 81– 88
Shen, Z., Static behavior analysis of a mesh system (6) 295–299
Shin, H.-C. and **K.-M. Choe**, An improved LALR(k) parser generation for regular right part grammars (3) 123–129
Silvestri, R., *see* **Crescenzi, P.** (1) 11– 15
Sinclair, A., *see* **Luby, M.** (4) 173–180
Smyth, W.F., *see* **Eades, P.** (6) 319–323
Steiner, G. and **S. Yeomans**, A note on "Scheduling unit-time tasks with integer release times and deadlines" (3) 165–166
Stinson, D.R., *see* **Gopalakrishnan, K.** (3) 139–143

Tang, C.Y., *see* **Chen, W.-H.** (1) 43– 49
Tardos, É. and **V.V. Vazirani**, Improved bounds for the max-flow min-multicut ratio for planar and $K_{r,r}$-free graphs (2) 77– 80
Teia, B., A lower bound for randomized list update algorithms (1) 5– 9
Toledo, S., Approximate parametric searching (1) 1– 4
Toniolo, L., *see* **Breslauer, D.** (1) 51– 57
Trahan, J.L., *see* **Vaidyanathan, R.** (5) 267–273
Tu, H.-Y., *see* **Frederickson, G.N.** (2) 71– 75

Udink, R.T. and **J.N. Kok**, Unity properties and sequences of states, some observations (6) 307–311

Vaidyanathan, R. and **J.L. Trahan**, Optimal simulation of multidimensional reconfigurable meshes by two-dimensional reconfigurable meshes (5) 267–273
Vazirani, V.V., *see* **Tardos, É.** (2) 77– 80

Xu, C.-Z. and **F.C.M. Lau**, Optimal parameters for load balancing using the diffusion method in k-ary n-cube networks (4) 181–187

Yang, C.-H., *see* **Yu, M.-S.** (2) 89– 93
Yeomans, S., *see* **Steiner, G.** (3) 165–166
Yu, M.-S. and **C.-H. Yang**, An O(n) time algorithm for maximum matching on cographs (2) 89– 93
Yun, I.-S., K.-M. Choe and **T. Han**, Syntactic error repair using repair patterns (4) 189–196

Zuckerman, D., *see* **Luby, M.** (4) 173–180